

1 ANDREW L. PACKARD (Bar No. 168690)  
andrew@packardlawoffices.com  
2 WILLIAM N. CARLON (Bar No. 305739)  
wncarlton@packardlawoffices.com  
3 Law Offices of Andrew L. Packard  
4 245 Kentucky Street, Suite B3  
Petaluma, CA 94952  
5 Tel: (707) 782-4060

6 Attorneys for Plaintiff  
CALIFORNIA SPORTFISHING PROTECTION ALLIANCE  
7 [additional counsel next page]

8  
9 **UNITED STATES DISTRICT COURT**  
**EASTER DISTRICT OF CALIFORNIA**  
**ROBERT T. MATSUI FEDERAL COURTHOUSE**

10 CALIFORNIA SPORTFISHING  
11 PROTECTION ALLIANCE,

12 Plaintiff,

13 v.

14 KATHLEEN ALLISON, in her official  
15 capacity as Secretary of the  
California Department of  
16 Corrections and Rehabilitation

17 Defendant

18 COUNTY OF AMADOR, a public agency  
19 of the State of California

20 Plaintiff,

21 v.

22 KATHLEEN ALLISON in her official  
23 capacity as Secretary of the  
California Department of  
24 Corrections and Rehabilitation;  
PATRICK COVELLO in his official  
25 capacity of Warden of California  
Department of Corrections and  
26 Rehabilitation Mule Creek State  
Prison,

27 Defendants

Case No.: 2:20-cv-02482-WBS-AC

**PLAINTIFF CALIFORNIA**  
**SPORTFISHING PROTECTION**  
**ALLIANCE'S MOTION TO RECONSIDER**  
**ORDER RE: MOTION FOR PARTIAL**  
**SUMMARY JUDGMENT**

Judge: Hon. William B. Shubb

Date: October 17, 2022

Time: 1:30 p.m.

Courtroom: 5

Action Filed: Jan. 7, 2021

Trial Date: April 18, 2023

1 JASON FLANDERS (Bar No. 238007)  
jrf@atalawgroup.com  
2 ERICA MAHARG (Bar No. 279396)  
eam@atalawgroup.com  
3 AQUA TERRA AERIS LAW GROUP  
4 4030 Martin Luther King Jr. Way  
Oakland, CA 94609  
5 Tel. (916) 202-3018

6 Attorneys for Plaintiff  
7 CALIFORNIA SPORTFISHING PROTECTION  
ALLIANCE  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

1  
2  
3  
4  
5  
6  
7  
8  
9  
0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
0  
1  
2  
3  
4  
5  
6  
7  
8

PLEASE TAKE NOTICE THAT on October 17, 2022 at 1:30 p.m., or as soon thereafter as the matter may be heard, in Courtroom 5 of the United States District Court, Eastern District of California, 501 I Street, Sacramento, California, Plaintiff California Sportfishing Protection Alliance ("CSPA" or "Plaintiff") shall move for reconsideration of the Court's August 29, 2022 Order re: Motion for Partial Summary Judgment. The Motion asks the Court to reconsider its order only as to violations related to *E. coli* and sampling from outfalls MCSP2 and MCSP3.

This Motion is made pursuant to Federal Rule of Civil Procedure 54(b) and Local Rule 230(j). This Motion is based on the accompanying Memorandum of Points and Authorities, the briefing on Plaintiffs' Motion for Partial Summary Judgment, the docket in this action, and any other matters properly before the Court at the hearing.

*s/ Andrew L. Packard*  
 \_\_\_\_\_  
 ANDREW L. PACKARD  
 WILLIAM N. CARLON  
 Attorneys for Plaintiff  
 CALIFORNIA SPORTFISHING  
 PROTECTION ALLIANCE

*s/ Erica A. Maharg*  


---

JASON R. FLANDERS  
ERICA A. MAHARG  
Attorneys for Plaintiff  
CALIFORNIA SPORTFISHING  
PROTECTION ALLIANCE

1                                   **MEMORANDUM OF POINTS AND AUTHORITIES**

2           **I. INTRODUCTION**

3           On August 29, 2022, the Court issued an order partially granting  
4 and partially denying Plaintiffs' Motion for Partial Summary  
5 Judgment.<sup>1</sup> ECF No. 60 ("Order"). In the Order, the Court found there  
6 was a genuine dispute of fact as to whether Mule Creek is designated  
7 for municipal drinking water (MUN) use and whether discharge samples  
8 taken at a MCSP5 and MCSP6 reached Mule Creek. CSPA does not seek  
9 reconsideration of those findings. However, the Order does not appear  
10 to consider two material facts and the implications thereof on the  
11 Motion for Partial Summary Judgment. First, Mule Creek is  
12 indisputably designated for water-contact recreation (REC-1) use,  
13 and the violations arising from exceedances of *E. coli* water quality  
14 standards apply to that use, not the MUN use. Second, the Order does  
15 not consider the fact that all outfall samples taken before December  
16 22, 2020 were collected at MCSP2 and MCSP3, and Defendants do not  
17 dispute that samples taken at MCSP2 and MCSP3 reach Mule Creek.  
18 Reconsidering these undisputed facts supports finding that  
19 Defendants violated Provisions B.1, B.2, and D for *E. coli* discharges  
20 prior to December 22, 2020. While the disputed issues articulated in  
21 the Order would remain, reconsideration of these narrow issues would  
22 significantly streamline the evidence presented at trial.

23  
24  
25  
26 <sup>1</sup> Plaintiffs referred to this as a Motion for Summary Adjudication.  
27 ECF No. 45. The Order states that the proper name of the motion is  
28 a Motion for Partial Summary Judgment (ECF No. 60 at 1, n.1), and  
Plaintiff refers to it as such herein.

1       **II. FACTUAL AND PROCEDURAL BACKGROUND**

2           **A. Plaintiffs' Motion for Partial Summary Judgment**

3           On June 28, 2022, Plaintiffs jointly moved for partial summary  
4 judgment on violations of Provisions B.1, B.2, and D of the Small  
5 MS4 Permit.<sup>2</sup> See, generally, ECF No. 54.<sup>3</sup> To demonstrate exceedances  
6 of *E. coli* and metals water quality standards, Plaintiffs relied on  
7 sampling conducted by Defendants at MCSP2, MCSP3, MCSP4, MCSP5, and  
8 MCSP6 from April 2019 through March 2022. See ECF No. 45-4 (Ashby  
9 Decl.), ¶¶ 10-12, 14-15, 17, 19-21, tbls. 2-6. 8-11.

10          A subset of the sampling results referred only to exceedances  
11 of *E. coli* water quality standards taken at sampling locations MCSP2  
12 and MCSP3. MCSP2 and MPCP3 are sampling locations located at the  
13 outfalls from the Facility to Mule Creek. See ECF No. 60 (Order) at  
14 17:14-16 ("A map of the prison, of Mule Creek, and of the various  
15 sampling locations shows that MCSP2 and MCSP3 are near Mule Creek.  
16 . . ."); ECF No. 49-13 at 11 (map of Mule Creek); ECF No. 45-4 (Ashby  
17 Decl.), ¶¶ 7.A, 7.B (explaining that MCSP2 and MCSP3 are sampling  
18 points at the outfalls to Mule Creek). In addition, *E. coli* water  
19 quality standards are set to protect waterbodies designated for  
20

---

21  
22       <sup>2</sup> Full title: National Pollutant Discharge Elimination System  
23 (NPDES) General Permit for Waste Discharge Requirements (WDRs) for  
24 Storm Water Discharges from Small Municipal Separate Storm Sewer  
25 Systems (MS4s), Water Quality (WQ) Order 2013-0001-DWQ NPDES No.  
CAS000004 as Amended by Order WQ 2015-0133-Exec, Order WQ 2016-  
0069-Exec, WQ Order 2017-XXXX-DWQ, Order WQ 2018-0001-Exec, and  
Order WQ 2018-0007-Exec.

26       <sup>3</sup> CSPA separately moved for summary judgment for violations of  
27 Provision B.3 of the Small MS4 Permit, and Amador moved separately  
28 for summary judgment of the Industrial General Permit. Because  
CSPA is not seeking reconsideration of any issues related to those  
claims, CSPA does not discuss them further herein.

1 water-contact recreation (REC-1) use. Mule Creek is designated for  
2 the REC-1 use. See ECF No. 51 (Defendants' Response to Plaintiffs'  
3 Separate Statement of Undisputed Facts) at 6, Fact 14; ECF No. 45-4  
4 (Ashby Decl.), ¶ 8.C; ECF No. 45-11 at 2 (Basin Plan designating  
5 Mokelumne River as REC-1); ECF No 45-10 at 76 (August 6, 2020 Section  
6 13383 Order noting that Mule Creek is designated REC-1).

7 Samples at MCSP2 and MCSP3 taken between April 8, 2019 and  
8 December May 28, 2020 demonstrate that Defendants' discharges from  
9 MCSP2 and MCSP3 to Mule Creek exceeded *E. coli* water quality  
10 standards on 41 occasions during that time period. ECF No. 45-4  
11 (Ashby Decl.), ¶¶ 10-11, tbls. 2-3. This sampling also showed that  
12 on 19 occasions during that time period, Mule Creek, downstream of  
13 the Facility at MPCS4, exceeded *E. coli* water quality standards on  
14 the same day the Facility's discharges to Mule Creek contained *E.*  
15 *coli* above those standards. See *id.*, ¶ 12, tbl. 4.

16 **B. The Order on the Motion for Partial Summary Judgment**

17 On August 29, 2022, the Court issued the Order. ECF No. 60. The  
18 Court granted summary judgment for Plaintiffs on standing. *Id.* at 9-  
19 12. The Court denied Plaintiffs summary judgment on all other claims,  
20 including violations of Provisions B.1, B.2, and D. *Id.* at 13-26.

21 Specifically, with regards to Provisions B.1, B.2, and D., the  
22 Court found there was a material dispute of fact as to whether Mule  
23 Creek was designated for the MUN use and, thus, whether water quality  
24 standards based on that use applied. ECF No. 60 at 16:3-7. The Court  
25 found that:

26 Because the conclusions by plaintiffs' expert assume  
27 water quality standards applicable under the MUN  
28 designation apply, this disputed fact is material  
because it appears dispositive of whether her

1 conclusions are applicable to plaintiffs' claims.  
2 Id. at 16:7-11. Thus, the Court held that this disputed fact  
3 precluded it from determining violations of Provisions B.1, B.2, and  
4 D on summary judgment. See id. at 16:11-14, 16:22-17:2, 23:16-28.  
5 The Court did not appear to consider that *E. coli* water quality  
6 standards are based on Mule Creek's REC-1 designation.

7 With regards to Provision B.2, the Court also found that  
8 Provision B.2 requires Plaintiffs to show that discharges actually  
9 enter a water of the United States (here, Mule Creek). ECF No. 60 at  
10 17:5-7. The Court found that, because there was distance between  
11 MCSP5 and MCSP6 and Mule Creek, Plaintiffs did not show that  
12 discharges indisputably reached Mule Creek. See id. at 17:14-21:4.  
13 Based on these findings, the Court held:

14 there appears to be a dispute of material fact as to  
15 whether the discharges upon which plaintiffs rely  
16 reached Mule Creek, the court cannot at this time  
17 conclude that defendants' discharges entered "waters  
of the U.S." or "caus[ed] or threaten[ed] to cause  
a condition of pollution of nuisance therein."

18 ECF No. 60 at 21:5-10 (citing Small MS4 Permit § B.2). The Court did  
19 not appear to consider samples taken at MCSP2 and MCSP3.

### 20 **III. LEGAL STANDARD**

21 A district court has discretion to reconsider an interlocutory  
22 order, such as a partial denial of summary judgment, any time prior  
23 to a final judgment. See Fed. R. Civ. Proc. 54(b) ("any order or  
24 other decision, however designated, that adjudicates fewer than all  
25 the claims . . . may be revised at any time before the entry of a  
26 judgment adjudicating all the claims. . .")

27 A district court may properly reconsider its  
28 decision if it "(1) is presented with newly

1 discovered evidence, (2) committed clear error or  
2 the initial decision was manifestly unjust, or (3)  
3 if there is an intervening change in controlling  
4 law." School Dist. No. 1J v. ACandS, Inc., 5 F.3d  
5 1255, 1263 (9th Cir. 2003). Clear error occurs when  
6 "the reviewing court on the entire record is left  
with the definite and firm conviction that a mistake  
has been committed." United States v. U.S. Gypsum  
Co., 333 U.S. 364, 395, 68 S. Ct. 525, 92 L. Ed. 746  
(1948).

7 Smith v. Clark Cty. Sch. Dist., 727 F.3d 950, 955 (9th Cir. 2013);  
8 see also L. R. 230(j) (permitting reconsideration based on "new or  
9 different facts or circumstances" or "other grounds"). "It is common  
10 for both trial and appellate courts to reconsider and change  
11 positions when they conclude that they made a mistake. This is  
12 routine in judging, and there is nothing odd or improper about it."  
13 Smith, 727 F.3d at 955 (upholding district court's grant of motion  
14 to reconsider summary judgment order).

#### 15 **IV. ARGUMENT**

##### 16 **A. The Order Should Have Considered the *E. coli* Standards** 17 **Because They Are Not Based on the MUN Designation.**

18 The Order states that Ms. Ashby's conclusion that the discharges  
19 violated water quality standards was "based on water quality  
20 standards applicable to surface waters with the designated "MUN,"  
21 denoting municipal use. . . ." ECF No. 60 at 13:27-29. While the Court  
22 is correct that the metals water quality standards on which  
23 Plaintiffs relied are based on the MUN designation, the *E. coli*  
24 standards used by Plaintiffs are based on a REC-1 use, not the MUN  
25 use. ECF No. 45-4 (Ashby Decl.), ¶ 13. CSPA does not ask the Court  
26 to reconsider its determination that there is a dispute of fact as  
27 to whether the MUN water quality standards apply to Defendants'



1 discharges or to Mule Creek.

2       However, because the *E. coli* standards are based on the REC-1  
3 use, they indisputably apply to Mule Creek. See ECF No. 45-4 (Ashby  
4 Decl.), ¶ 9; ECF No. 45-11 at 177 (State Bacteria Objectives apply  
5 to all waters designated for REC-1). Defendants admit that Mule Creek  
6 is designated as REC-1. ECF No. 51 at Fact 14 ("The Water Board  
7 designated Mule Creek's beneficial uses as only including: AGR, REC-  
8 1, REC-2, WARM, COLD, MIGR, SPWN, and WILD."). Thus, there is no  
9 dispute that Mule Creek is designated for REC-1 and the *E. coli*  
10 standards apply.

11       Through inadvertence or mistake, the Court erred when it did  
12 not consider that Plaintiffs also relied on the REC-1 designation to  
13 apply the *E. coli* standards. The Order found that it could not  
14 determine violations of Provisions B.1, B.2, and D because there was  
15 a dispute of which water quality standards applied. ECF No. 60 at  
16 16-17, 23. Because there is no dispute as to whether the *E. coli*  
17 standards apply, the Court could have and should have determined  
18 that Defendants' discharges to Mule Creek in excess of *E. coli*  
19 standards violate Provision B.1 and B.2 and violate Provision D on  
20 days when Mule Creek also exceeds those standards. ECF No. 45-4  
21 (Ashby Decl.) ¶¶ 10-11, tbls. 2-3 (identifying 41 violations of  
22 Provisions B.1 and B.2 for *E. coli* based on sampling from MCSP2 and  
23 MCSP3); id. at ¶ 12, tbl. 4 (identifying 19 violations of Provision  
24 D for *E. coli* based on sampling from MCSP2, MCSP3, and MCSP4).

25       Because the Court erred when it determined that all water  
26 quality standards were based on the MUN designation, CSPA  
27 respectfully asks the Court to reconsider this finding and the effect  
28

1 of the applicable *E. coli* standards on violations of Provisions B.1,  
2 B.2, and D.

3       **B. The Order Should Have Considered Sampling from MCSP2 and**  
4       **MCSP3 Because There Is No Dispute that They Represent the**  
5       **Facility's Discharges to Mule Creek.**

6       The Order also found that to demonstrate a violation of  
7 Provision B.2, Plaintiffs must show that Defendants' discharges  
8 reach Mule Creek. ECF No. 60 at 17:5-7. The Order goes on to discuss  
9 the evidence that refutes finding that discharges sampled at MCSP5  
10 and MCSP6 reached Mule Creek. See *id.* at 17-21. The Court concludes  
11 that "because there appears to be a dispute of material fact as to  
12 whether the discharges upon which plaintiffs rely reached Mule  
13 Creek," the Court could not determine a violation of Provision B.2.  
14 *Id.* at 21:5-12. CSPA does not ask this Court to reconsider its  
15 holding that Provision B.2 requires Plaintiffs to prove that a  
16 discharge reaches Mule Creek or that there is a dispute of fact as  
17 to whether discharges at MCSP5 and MCSP6 reach Mule Creek.

18       However, the Court failed to consider that some of the  
19 discharges upon which Plaintiffs rely were sampled at MCSP2 and  
20 MCSP3. Specifically, all discharge samples taken between April 2019  
21 and December 2020 were taken at MCSP2 and MCSP3. See ECF No. 45-4  
(Ashby Decl.), ¶¶ 10-11, tbls. 2-3.<sup>4</sup>

22       There is no dispute that discharges at MCSP2 and MCSP3 reach  
23 Mule Creek because those sampling points are located directly where  
24 the Facility's MS4 outfalls discharge to Mule Creek. See ECF No. 60  
25

---

26  
27 <sup>4</sup> Ms. Ashby's Declaration refers to violations based on samples  
28 taken between April 2019 and December 2020 at MCSP2 and MCSP3 as  
"past violations." See ECF No. 45-4 at ¶¶9-12.

1 at 17:14-20 (Order noting that "MCSP2 and MCSP3 are near Mule Creek,"  
2 in contrast to MCSP5 and MCSP6); ECF No. 49-13 at 11 (map of Mule  
3 Creek); ECF No. 45-4 (Ashby Decl.), ¶¶ 7.A, 7.B (explaining that  
4 MCSP2 and MCSP3 are sampling points at the outfalls to Mule Creek).  
5 Defendants do not dispute that MCSP2 and MCSP3 sample discharges  
6 that reach Mule Creek. In fact, Defendants repeatedly state that  
7 Plaintiffs must rely on MCSP2 and MCSP3 samples to show violations  
8 of Provisions B.1, B.2, and D. See ECF No. 51 at Facts 16-19 (relating  
9 to Provision B.1), Facts 22-26 (relating to Provision B.2), and Facts  
10 36-39 (relating to Provision D).

11 However, Defendants stated that "all of the monitoring data  
12 that Ms. Ashby relied upon for her assertions that there are  
13 violations at the Facility are based on monitoring data collected  
14 from MCSP5, MCSP6, and MCSP4." Id. (citing to Simpson Decl. at ¶  
15 22(c)(i)). That statement is clearly incorrect, as Ms. Ashby relies  
16 on data from MCSP2 and MCSP3, not MCSP5 and MCSP6, to determine past  
17 violations of the *E. coli* water quality standard. ECF No. 45-4 at ¶¶  
18 10-12, tbls. 2-4.<sup>5</sup> Thus, all violations occurring before December  
19 2020 were based on data from MCSP2 and MCSP3, and those discharges  
20 indisputably reached Mule Creek.

21 Likely as a result of Defendants' erroneous statement, the Court  
22 mistakenly believed that the data on which Plaintiffs rely were all  
23 from MCSP5 and MCSP6. Because that conclusion is clear error,  
24

---

25  
26 <sup>5</sup> In contrast, Plaintiffs rely on sampling data from MCSP5 and  
27 MCSP6 for all violations after December 2020, which Ms. Ashby  
28 refers to as "ongoing violations." See ECF No. 45-4 at ¶¶ 17, 19,  
tbls. 8-9. CSPA does not ask the Court to reconsider its holdings  
as they relate to those violations.

1 Plaintiffs respectfully ask this Court to reconsider that finding  
2 and the effect of the data from MCSP2 and MCSP3 on determining  
3 violations of Provisions B.1, B.2, and D.

4 **C. Reconsidering These Material Facts Will Streamline Trial.**

5 If the Court reconsiders violations based on *E. coli* water  
6 quality standards and sampling at MCSP2 and MCSP3, there is no  
7 remaining dispute that Defendants violated Provisions B.1, B.2, and  
8 D for *E. coli* prior to December 2020. Thus, at trial, evidence  
9 related to these violations would not need to be presented. The  
10 evidence at trial could then focus on the facts that are actually  
11 disputed, specifically:

12 • The application of the metals water quality standards to  
13 Mule Creek and the violations of Provision B.1, B.2, and D based on  
14 those standards;

15 • Whether non-stormwater travels through the MS4 in  
16 violation of Provision B.3;

17 • Whether violations of the Small MS4 Permit were ongoing at  
18 the time the complaints were filed (see Gwaltney of Smithfield v.  
19 Chesapeake Bay Found., 484 U.S. 49, 64 (1987)); and

20 • Violations of the Industrial General Permit.

21 **V. CONCLUSION**

22 For the reasons stated above, CSPA respectfully asks the Court  
23 to reconsider its Order as to two materials facts: (1) *E. coli* water  
24 quality standards are based on REC-1 and indisputably apply to Mule  
25 Creek; and (2) all violations prior to December 2020 are based on  
26 sampling at MCSP2 and MCSP3, which indisputably reach Mule Creek.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

Respectfully submitted,  
LAW OFFICES OF ANDREW L. PACKARD

s/ Andrew L. Packard  
ANDREW L. PACKARD  
WILLIAM N. CARLON  
Attorneys for Plaintiff  
CALIFORNIA SPORTFISHING  
PROTECTION ALLIANCE

Dated: September 15, 2022      AQUA TERRA AERIS LAW GROUP

s/ Erica A. Maharg  
JASON R. FLANDERS  
ERICA A. MAHARG  
Attorneys for Plaintiff  
CALIFORNIA SPORTFISHING  
PROTECTION ALLIANCE